

Safety Data Sheet

According to Regulation (EC) No 1907/2006

TASKI Tapi Extract C1b

Revision: 2024-08-02 **Version:** 01.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Tapi Extract C1b

UFI: KFP3-F0N6-V00K-FF7S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Carpet / Upholstery cleaner. For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2 AISE_SWED_PW_4_1 AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

None.

Hazard statements:

EUH210 - Safety data sheet available on request.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

None.

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

	Ingredient(s)	EC number	CAS number	REACH Classification		Notes	Weight
				number			percent
	alkyl alcohol alkoxylate	[4]	111905-53-4	[4]	Acute toxicity - Oral, Category 4 (H302)		3-10
					Eye irritation, Category 2 (H319)		
L					Chronic aquatic toxicity, Category 3 (H412)		
Γ	alkyl alcohol ethoxylate	[4]	68439-49-6	[4]	Eye irritation, Category 2 (H319)		1-3
Γ	sodium cumenesulphonate	239-854-6	15763-76-5	01-211948941	Eye irritation, Category 2 (H319)		1-3

			1-37		
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5		Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317)	< 0.01
				Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)	

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11

- [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.
- [6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice Skin contact:

Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical Eye contact:

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Consider personal protective equipment as indicated in subsection 8.2. Self-protection of first aider:

4.2 Most important symptoms and effects, both acute and delayed

No known effects or symptoms in normal use. Inhalation: Skin contact: No known effects or symptoms in normal use. No known effects or symptoms in normal use. Eye contact: No known effects or symptoms in normal use. Ingestion:

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless adviced by Diversey. Do not breathe spray.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None.

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	3.8
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)		Short term - Systemic	•	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	136.25
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	68.1
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	26.9
1,2-benzisothiazol-3(2H)-one	-	-	=	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	6.6
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	0.23	0.023	2.3	100
1,2-benzisothiazol-3(2H)-one	0.0026	0.00026	-	0.055

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
1,2-benzisothiazol-3(2H)-one	0.0132	-	0.33	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the _undiluted _product:

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure	LCS	PROC	Duration (min)	ERC
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Machine application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Pale , Yellow Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

See substance data Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	No data available		
sodium cumenesulphonate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C

Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

closed cup Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 7 (neat)

Dilution pH: \approx 7 (10 %) Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

ISO 4316 ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	Soluble	Method not given	
sodium cumenesulphonate	493 Soluble	Method not given	20
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	< 10	Method not given	20
sodium cumenesulphonate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Relative density: ≈ 1.03 (20 °C) OECD 109 (EU A.3)

Not relevant to classification of this product Relative vapour density:

Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Oral
		(mg/kg)			time (h)	(mg/kg)
alkyl alcohol alkoxylate	LD 50	≥ 300-2000	Rat	Method not given		Not established
alkyl alcohol ethoxylate	LD 50	> 2000	Rat	Method not given		Not established
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat			450

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alkyl alcohol alkoxylate		No data				Not established
		available				
alkyl alcohol ethoxylate		No data available				Not established
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			
sodium cumenesulphonate	LC 50	> 5 (mist) No mortality observed	Rat	Read across	3.87
1,2-benzisothiazol-3(2H)-one		No data available	-		

Acute inhalative toxicity, continued

	Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
ı		(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
	alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established

alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	0.21	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant	Rabbit	Non guideline test	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Not corrosive or irritant	Rabbit	Non guideline test	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
sodium cumenesulphonate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	Not sensitising		Method not given	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
sodium cumenesulphonate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
alkyl alcohol alkoxylate	No data available		No data available	
alkyl alcohol ethoxylate	No data available		No data available	
sodium cumenesulphonate	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	given	test results	B.12)
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative	OECD 471 (EU	No data available	
	test results	B.12/13)		

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	No data available
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
1,2-benzisothiazol-3(2H)-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol alkoxylate			No data available				
alkyl alcohol ethoxylate			No data				
alkyl alcohol ethoxylate			available				

sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test	No known significant effects or critical hazards
1,2-benzisothiazol-3(2H			No data			
)-one			available			

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alkyl alcohol alkoxylate		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU		No effects observed
·				B.26)		
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
sodium cumenesulphonate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available			ume (um)e,	u
alkyl alcohol ethoxylate		No data available				
sodium cumenesulphonate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol alkoxylate			No data available					
alkyl alcohol ethoxylate			No data available					
sodium cumenesulphonate			No data available					
1,2-benzisothiazol-3(2H)-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	No data available
sodium cumenesulphonate	Not applicable
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	No data available
sodium cumenesulphonate	Not applicable
1,2-benzisothiazol-3(2H)-one	No data available

 $\begin{tabular}{lll} \textbf{Aspiration hazard} \\ \textbf{Substances with an aspiration hazard (H304), if any, are listed in section 3.} \end{tabular}$

Potential adverse health effects and symptomsEffects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

None.

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

<u>Substance data</u>, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	LC 50	> 1- 10	Leuciscus idus	Method not given	96
alkyl alcohol ethoxylate	LC 50	1 - 10	Leuciscus idus	Method not given	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus mykiss	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	EC 50	> 1 - 10	Daphnia	Method not given	48
			magna Straus		
alkyl alcohol ethoxylate		No data			
		available			
sodium cumenesulphonate	EC 50	> 1000	Daphnia	OECD 202 (EU C.2)	48
			magna Straus		
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			
sodium cumenesulphonate	Eь С 50	> 230	Not specified	EPA OPPTS 850.5400	96
1,2-benzisothiazol-3(2H)-one	Er C 50	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			
sodium cumenesulphonate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol alkoxylate	EC 10	> 1000	Activated sludge	DEV-L2	
alkyl alcohol ethoxylate	EC 10	> 5000	Activated sludge	DEV-L2	
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity
Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed

	(mg/l)	time	
alkyl alcohol alkoxylate	No data		
	available		
alkyl alcohol ethoxylate	No data		
	available		
sodium cumenesulphonate	No data		
	available		
1,2-benzisothiazol-3(2H)-one	No data		
	available		

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol alkoxylate	NOEC	> 0.1 - 1	Daphnia magna	OECD 202	21 day(s)	
alkyl alcohol ethoxylate		No data available				
sodium cumenesulphonate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		sediment)			uille (uays)	
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
sodium cumenesulphonate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

None.

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
alkyl alcohol alkoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

segradation in role vant on viron montal compartmente, il a validade.							
Ingredient(s)	Medium & Type	Analytical	DT 50	Method	Evaluation		
		method					

1,2-benzisothiazol-3(2H)-one	Sewage treatment	Primary	> 90%	OECD 303A	Biodegradable
	plant simulation	degradation			

12.3 Bioaccumulative potential

None.

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available		No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol alkoxylate	No data available				
alkyl alcohol ethoxylate	No data available				
sodium cumenesulphonate	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

12.4 Mobility in soil

None.

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol alkoxylate	No data available				
alkyl alcohol ethoxylate	No data available				Potential for adsorption to soil
sodium cumenesulphonate	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

None

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

None

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

None.

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 30 - detergents other than those mentioned in 20 01 29.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

5 - 15 % non-ionic surfactants < 5 %

perfumes, Hexyl Cinnamal, Phenoxyethanol, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003808 Version: 01.4 Revision: 2024-08-02

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 3, 8, 9, 15, 11, 12, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- · ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- · NOAEL No observed adverse effect level
- · NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.

- H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet